



Catalogue 2018

ROOM HEATER, BOILER, INSERT & CASSETTE STOVES

Premier Collection - Room Heaters - Insert / Freestanding | 4.5kw - 21kw

4. Apollo - Room Heater - Insert - 5 / 7kW	22
6. Arklow - Room Heater - Insert - 5 / 7kW	24
8. Achill - Room Heater - Insert - 6.6kW	26
10. Eden - Room Heater - Freestanding - 5kW	28
12. Aran - Room Heater - Freestanding - 6kW	30
14. Sherwood - Room Heater - Freestanding - 5/8/12kW	32
16. Thames - Room Heater - Freestanding - 4.5 / 8kW	34
18. Yale - Room Heater - Freestanding - 5 / 8kW	36
20. Elcombe - Room Heater - Freestanding - 5kW	4C

Premier Collection - Boiler Stoves - Insert / Freestanding | 12kw - 30kw

42. Achill - Boiler - Insert - 17.1 / 21kW	48
44. Sherwood - Boiler - Freestanding - 12kW	50
46. Achill - Boiler - Freestanding - 18kW	52

European Collection - ROOM HEATERS - CASSETTE / FREESTANDING | 5KW - 14KW

54. Orion 400 / 700 - Room Heater - Freestanding - 5 / 10kW	68
56. Zurich - Room Heater - Freestanding - 8kW	70
58. Elite G1 - Room Heater - Freestanding - 7kW	72
60. Elite G3 - Room Heater - Freestanding - 7kW	74
62. Zanzibar - Room Heater - Freestanding - 5kW	76
64. Barcelona - Room Heater - Freestanding - 5kW	78
66. Alvor 400 / 600 - Room Heater - Cassette - 6 / 10kW	80
	82

European Collection - Boiler Stoves - CASSETTE / FREESTANDING | 16KW - 21KW

84. Athens 700 - Boiler - Cassette - 21kW	86
Technical Information	
90. Tech. Specs Premier Collection - Room Heaters91. Tech. Specs Premier Collection - Boiler Stoves	91 92
Stave & Eiroplace Accounting	

Stove & Fireplace Accessories

88. Porto Stove Door

WELCOME TO



Henley Stoves is one of Ireland's leading stove companies based in County Kerry, with an extensive background in the stove industry.

The core aim at Henley is to provide a genuine quality product at affordable prices, coupled with best in class customer service.

Our customers are our priority, so we strive to provide them with a quality experience when it comes to purchasing a new stove for their home.

All Henley Stoves are manufactured to the highest possible standard & two Quality Control managers complete a 32-point checklist on each stove before it leaves our factory in County Kerry.

- 2. Lincoln Room Heater Freestanding 5kW
- 4. Cambridge Room Heater Freestanding 5kW / 7.5kW / 10.5kW
- 6. Ascot Room Heater Freestanding 5kW, 7kW
- 8. Cheltenham Room Heater Freestanding 5kW
- 0. Skellig Room Heater Freestanding 8kW
- 2. Bracken Room Heater Freestanding 9kW
- 4. Tullamore Room Heater Freestanding 14kW
- 6. Druid Room Heater Freestanding 5/8/12/14/16/20/21kW
- 0. Achill Room Heater Freestanding 16kW
- 3. Druid Boiler Freestanding 12 / 21 / 25 / 30kW
-). Hampton Boiler Freestanding 21 / 30kW
- . Blasket Boiler Freestanding 21kW
- 8. Athens 400 / 600 Room Heater Cassette 6 / 8kW
- 0. Athens 700 / 900 Room Heater Cassette 12 / 14kW
- 2. Faro 500 / 55 Room Heater Cassette 8 / 9kW
- 4. Faro 600 / 600 DS Room Heater Cassette 10kW
- 6. Porto 400 / 600 / 600 DS Room Heater Cassette 6 / 10kW
- 8. Seville 400 / 500 Room Heater Cassette 6 / 8kW
- 0. Seville 55 / 600 Room Heater Cassette 9 / 10kW
- 82. Lisbon 700 / 900 / 900 DS Room Heater Cassette 6 / 10kW
 - . Faro 700 Boiler Cassette 16kW / 21kW / 21kW DS
 - Tech. Specs. European Collection Room Heaters
 - . Tech. Specs. European Collection Boiler Stoves

93. Stove & Fireplace Accessories

Apollo - Room Heater - Insert



Henley Stoves best selling Apollo insert room heater stove is a fully cast iron stove with over 79% efficiency. Its convection based technology creates unrivaled constant warmth in your room. It will fit most standard 16"/18" fireplace openings.

Available Finishes





Apollo 5kW - Matt Black

"FITS A STANDARD 16"/18" OPENING"

images are used for illustration purposes only Apollo 7kW - Enamel Black

Arklow - Room Heater - Insert



The Arklow insert room heater stove is a new addition to the Henley range. It is a fully cast iron stove with over 79% efficiency. Its convection based technology creates unrivaled constant warmth in your room.

The Arklow 5kW has been tested with distance to combustibles of 300mm to the top, which makes it suitable for use with most timber surrounds.

Each timber surround can be finished with different grades of varnish. Henley stoves cannot guarantee that some timber surrounds will not warp, shrink or split.

As each installation is unique to the property, some timber surrounds may get too hot & will need to be replaced.



Matt Black, Enamel Black

AVAILABLE IN

5kW

OUTPUT ROOM HEATER

AVAILABLE IN

7kW

OUTPUT ROOM HEATER

Arklow 7kW - Enamel Black

"CAN BE USED WITH TIMBER SURROUND"

***images are used for illustration purposes only Arklow 5kW - Matt Black

Achill - Room Heater - Insert



The Achill 6.6kw insert room heater stove is one of Henley's best selling stoves due to its traditional look and excellent efficiency, boasting up to 77%. Its convection based technology creates unrivaled constant warmth in your room.

It will fit most standard 16"/18" fireplace openings.









Eden - Room Heater

CE 💿 🎲 🍐

The Eden 5kW Stove is another new addition to Henley's Premier Collection of stoves. Its superb cast iron construction and traditional design combined with modern technology, make this stove a popular choice for any customer.

Available Finishes

Matt Black



"CLEANBURN AIRWASH TECHNOLOGY"

***images are used for illustration purposes only Eden 5kW - Matt Black

HENLEY

Aran - Room Heater



The Aran 6kW multi fuel stove has been a Henley best seller from the beginning. Its beautiful traditional look will complement any interior design setting. Completely manufactured in cast iron, *It is also available in a variety of enamel finishes.*

Available Finishes



Matt Black, Enamel Black, Enamel Cream, Enamel Pearl Grey, Enamel Gallant Grey,

0 0 00 2 0



Aran 6kW - Enamel Gallant Grey

"AVAILABLE IN ENAMEL GALLANT GREY & PEARL GREY"



Sherwood - Room Heater



Sherwood - New Range of Henley External Air Passive Stoves. The Sherwood range needs to be installed with it's own separate air supply. This external air supply allows the stove to be installed in a room that may otherwise be sealed to an extent that would prohibit the correct and safe burning of a stove.

Matt Blac

Available in 5kW, 8kW & 12kW Room Heater Outputs & 12kW Output Boiler Stove.





Sherwood 8kW - Matt Black

AVAILABLE IN 5kW OUTPUT ROOM HEATER AVAILABLE IN 8kW OUTPUT ROOM HEATER AVAILABLE IN kΜ 2 OUTPUT ROOM HEATER

"EXTERNAL AIR AS STANDARD"



Sherwood 5kW - Matt Black

"8KW SUITABLE TO FIT ON MOST EXISTING 54" X 18" HEARTHS"

11100111

0

16

Thames - Room Heater



The Thames multi fuel stove was designed specifically to fit under a standard 16" fireplace opening. It is ideal for those awkward cast iron canopies or if you have limited space on your hearth. Manufactured from steel with a cast iron door. *This stove boasts an efficiency of 81%.*



Matt Black



"4.5KW SUITABLE FOR 16" RECESS"

Thames 4.5kW - Matt Black

TENET

***images are used for illustration purposes only Thames 8kW - Matt Black

Yale - Room Heater



The Yale multi fuel stove was designed specifically to fit under a standard 16" fireplace opening. It is ideal for those awkward cast iron canopies or if you canopies or if you have limited space on your hearth. It is also external air ready if your house requires manufactured from steel with a cast iron door

Matt Black

This stove boasts an efficiency of 81%.

Available Finishes



Yale 5kW - Matt Black

"EXTERNAL AIR AS STANDARD"



Elcombe - Room Heater



The Elcombe 5kw is designed to show a large viewing glass. Combining a sleek body with solid features, the Elcombe will complement any modern or traditional interior. *Available with or without a Logstore.*







03

Lincoln - Room Heater



The Lincoln 5kW is designed to show a large viewing glass. It's attractive look and excellent steel build quality with a cast iron door makes this stove an excellent choice for any customer. The Lincoln 5kW is available with or without a Logstore.

Available Finishes

Matt Black

AVAILABLE IN 5kW OUTPUT ROOM HEATER

"AVAILABLE WITH OR <u>WITHOUT LOGSTORE"</u>



R

10

Cambridge - Room Heater



The Cambridge stove is a blend of traditional values with a modern twist. Its popular look and excellent cast iron build quality makes this stove an excellent choice for any customer. Boasting primary, secondary and tertiary air for excellent air control and an efficiency level of 75%. Available in 3 sizes in 5kw, 7.5kw and 10.5kw in Matt and Enamel.

Available Finishes



Matt Black, Enamel Black, Enamel Cream, Graduated Red *Graduated Red only available in 7.5KW model



AVAILABLE IN

OUTPUT ROOM HEATER

AVAILABLE IN

7.5kW

OUTPUT ROOM HEATER

Cambridge 10.5kW - Matt Black

CENT



Ascot - Room Heater

C E 🐵 🥡 🍐 🌏 촕 🌋 🍻

The Ascot stove brings the best of modern technology and traditional looks to the Henley range. This stove is external air ready if your house requires this but can be used as a standard stove also. This external air technology gives unrivaled air control.

Allowing you to save more fuel than a standard stove.



Matt Black, Enamel Black, Enamel Cream, Graduated Red *Graduated Red only available in 7.5KW model

AVAILABLE IN

5kW

OUTPUT ROOM HEATER

AVAILABLE IN

7kW OUTPUT ROOM HEATER

"EXTERNAL AIR AS STANDARD"

Ascot 5kW - Matt Black



Cheltenham - Room Heater



The new Cheltenham 5kW combines classic style with exemplary performance. The Cheltenham 5kW will operate at efficiency levels between 71% and 76% & precise air controls allow minimal heat loss into the flue. Also available in a logstore version. *Range of exciting metallic finishes including; silver, ivory & terracotta.*



"AVAILABLE WITH OR WITHOUT LOGSTORE"

Cheltenham 5kW - Metallic Black

AVAILABLE IN

5kW OUTPUT ROOM HEATER



Skellig - Room Heater



The Skellig multi fuel stove is another main stay of the Henley collection. Manufactured from high quality heavy cast iron it has been a best seller year in and year out. It is available in both a room heater and boiler. *Available in Matt Black & Enamel Finishes.*







"RANGE OF ENAMEL COLOURS AVAILABLE"



Bracken - Room Heater



The Bracken 9kw multi fuel stove mixes both traditional looks and modern technology. Its double combustion system allows for great fuel efficiency along with excellent air control. It's separate ash door allows for easy cleaning.







"SEPARATE ASH PAN DOOR"



Bracken 9kW - Matt Black

Reparat

(INUT)

Tullamore - Room Heater



The Tullamore 1 4kw room heater stove is a heavy fully cast iron stove suitable for large living areas. Its traditional looks combined with modern technology makes it a popular choice. Its double combustion system gives excellent fuel efficiency at 77%



Matt Black





***images are for illustration purpose only Tullamore 14kW - Matt Black

ALC: THE

200

11

(TIMAT

"DEFRA SMOKE EXEMPT APPROVED"



"TRIPLE BURN COMBUSTION SYSTEM"

"EVERY HOME DESERVES A DRUID"



"DOUBLE SIDED STOVE IN 14KW & 20KW"



Achill - Room Heater



The Achill 16kw room heater multi fuel stove is designed to heat large living areas. It is a steel stove with a cast iron door and efficiency level of over 77%. Its secondary air mechanism helps keep your glass clean for that lovely open fire look while adding warmth to your home



Matt Black







"21KW MODEL CAN HEAT UP TO 14 RADIATORS"

.

42

Achill - Boiler - Insert



The Achill multi fuel Insert boiler is capable of heating up to 9/10 single radiators on the 17.1kw and 13/14 single radiators on the 21kw. It is primarily designed to heat water to radiators. In some cases if the stove is running too many radiators, the heat output can vary from 2 to $5.1 \mathrm{kW}$ heat output to room.

We would strongly recommend that a radiator is fitted in the room where the stove is installed, to maximize heat output to the room.

Available Finishes

Matt Black

AVAILABLE IN

7.1kW

OUTPUT BOILER

11.9KW - TO WATER 2 TO 5.1KW - TO ROOM

AVAILABLE IN

21kW

OUTPUT BOILER

15.9KW - TO WATER 2 TO 5.1KW - TO ROOM





44

Sherwood - Boiler



Sherwood - New Range of Henley External Air Passive Stoves. The Sherwood range needs to be installed with it's own separate air supply. This external air supply allows the stove to be installed in a room that may otherwise be sealed to an extent that would prohibit the correct and safe burning of a stove.

The Sherwood 12kW Boiler can heat up to 9 radiators. Also available in 5kW, 8kW & 12kW Room Heater Outputs.

Available Finishes





"CAN HEAT UP TO 9 RADIATORS"

***images are for illustration purpose only Sherwood 12kW Boiler - Matt Black

"18KW MODEL CAN HEAT UP TO 12 RADIATORS"

46

Achill - Boiler



The Achill 18kw boiler multi fuel stove is designed to heat up to 10/11 single radiators. It is a steel stove with a cast iron door and efficiency level of over 75%. Its secondary air mechanism helps keep your glass clean for that lovely open fire look while adding warmth to your home. Features a unique Eco baffle boiler which creates extra boiler heat in comparison to a standard boiler. The Achill 18kW Freestanding Boiler can heat up to 12 Radiators.

Available Finishes

Matt Black



"EXTERNAL AIR AS STANDARD"



"TRIPLE BURN COMBUSTION SYSTEM"

Druid - Boiler



The Druid 12kW - 30kW boiler stoves are the most popular boiler stove in the Henley range. It is capable of heating up to 7 - 21 radiators depending on the model. It is constructed from high grade steel with a heavy cast iron door. It also has a double combustion system and cool to touch handle.

The Druid 21kW, 25kW & 30kW are available with External Air.

Available Finishes

Metallic Black







15KW - TO WATER 6KW - TO ROOM

AVAILABLE IN 25kW OUTPUT BOILER

19KW - TO WATER 6KW - TO ROOM



23KW - TO WATER 7KW - TO ROOM

"12KW / 21KW / 25KW /30KW MODELS CAN HEAT 9 / 13 / 17 / 21 RADIATORS"

WILLIAM



Drud 30kW - Metallic Black

"21KW/30KW MODELS CAN HEAT UP TO 14/23 RADIATORS"

50

Hampton - Boiler



The Hampton 21kW 30kw boiler is the only double door stove in the Henley range. It is capable of heating up to 21 radiators and a large space also. It comes with external air as standard if your house requires it. **Double combustion system is unrivaled for huge fuel efficiency.**



Metallic Black



Hampton 21kW - Metallic Black

AVAILABLE IN 21kW OUTPU7 BOILER 14KW - TO WATER 5-7KW - TO ROOM **AVAILABLE IN 30kW** OUTPUT BOILER 23KW - TO WATER 5-7KW - TO ROOM

"EXTERNAL AIR AS STANDARD"



"CAN HEAT UP TO 13 RADIATORS"

52

Blasket - Boiler



The Blasket 21kw boiler is ideally suited for most Irish homes and is capable of heating up to 13 radiators. Constructed fully from the highest quality cast iron. It has a separate ash door for easy cleaning and is thermostatically controlled. Available in a choice of enamel colours

Available Finishes








Orion - with/without logstore



Fuel:	Multi Fuel
Orion 400 Output:	5kW
Orion 700 Output:	10kW
Efficiency:	78%
Energy Class:	А
Flue Size:	153mm
Finish:	Matt Black / Black Glass
External Air:	Yes













Zurich

Fuel:
Output:
Efficiency:
Energy Class:
Flue Size:
Finish:
External Air:







Wood / Peat / Briquettes 8kW 78% A 125mm Metallic Black Yes



Elite G1



Fuel:	Wood / Peat / Smokeless Coal
Output:	7kW
Efficiency:	81.6%
Energy Class:	A+
Flue Size:	153mm
Finish:	Matt Black, Ceramic Red, Ceramic White
External Air:	Yes





Elite G1 - Ceramic Red



The Elite G1 Freestanding Stove is available in Matt Black, Ceramic Red & Ceramic White



Elite G3



Fuel:	Wood / Peat / Smokeless Coal
Output:	7kW
Efficiency:	78%
Energy Class:	А
Flue Size:	153mm
Finish:	Matt Black,
External Air:	Yes






The Elite G3 has a hermetically sealed chamber allowing for correct combustion regulation, which results in less fuel consumption & higher efficiency.







Elite G3 - Matt Black

Zanzibar



Fuel:	Wood, Lignite Briquettes
Output:	5kW
Efficiency:	80.3%
Energy Class:	A+
Flue Size:	153mm
Finish:	Black Glass, Soapstone, 3 Side Glass
External Air:	Yes









Zanzibar - Soapstone



Zanzibar - 3 Side Glass

The Zanzibar 5kW Freestanding Stove is also available in Soapstone & 3 Sided Glass Versions.



Barcelona




Fuel:	Wood, Lignite Briquettes
Output:	5kW
Efficiency:	82%
Energy Class:	A+
Flue Size:	153mm
Finish:	Matt Black,
External Air:	Yes





High quality Vermiculite Firebox lining & unique 'comfort close' hydraulic door lock.



64

***images are for illustration purpose only Barcelona - Matt Black



Alvor 400, 600

Fuel:	Wood
Alvor 400 Output:	6kW
Alvor 600 Output:	10kW
Efficiency:	82%
Energy Class:	А
Flue Size:	153mm
Finish:	Charcoal
External Air:	Yes
Passive Air:	Yes








82%





The Alvor is a Fully Passive Stove so must be connected to an External Air Supply





Alvor 600 10kW

Athens 400, 500

0	Clearburn		External Air
	Cicarbann	CENGINDEI	

Fuel:	Multifuel
Athens 400 Output:	6kW
Athens 500 Output:	8kW
Efficiency:	78%
Energy Class:	А
Flue Size:	153mm
Finish:	Matt Black / Black Class
External Air:	Yes







The Athens Range comes as standard with a Black Glass Frame



Athens 700, 900



12_{kW}

Fuel:	Multi Fuel
Athens 700 Output:	12kW
Athens 900 Output:	14kW
Efficiency:	78%
Energy Class:	А
Flue Size:	153mm
Finish:	Matt Black / Black Glass
External Air:	Yes







The Athens Range comes as standard with a Black Glass Frame



Faro 500, 55

Fuel:	Multi Fuel
Faro 500 Output:	8kW
Faro 55 Output:	9kW
Efficiency:	81%
Energy Class:	А
Flue Size:	153mm
Finish:	Charcoal
External Air:	Yes


8kW

















Multi Fuel
10kW
10kW
80%
A
153mm
Charcoal
Yes







with optional external air. Double Sided Option also available.

Porto 400, 600, 600 DS



Fuel:	Multi Fuel
Porto 400 Output:	6kW
Porto 600 / 600 DS Output:	10kW
Efficiency:	81%
Energy Class:	А
Flue Size:	153mm
Finish:	Charcoal



STAND STAND



Seville 400, 500



Fuel:	Multi Fuel
Seville 400 Output:	6kW
Seville 500 Output:	8kW
Efficiency:	76%
Energy Class:	А
Flue Size:	153mm
Finish:	Charcoal
External Air:	Yes



The Seville is available in Charcoal with a choice of a 3 or 4 sided frame with optional external air.





Seville 55,600

Fuel: Seville 55 Output: Seville 600 Output: Efficiency: Energy Class: Flue Size: Finish: External Air:









Available in Charcoal with a choice of a 3 or 4 sided frame with optional external air.



Multi Fuel 9kW 10kW 76% А 153mm Charcoal Yes








Fuel:
Lisbon 700 Output:
Lisbon 900 / 900 DS Output:
Efficiency:
Energy Class:
Flue Size:
Finish:
External Air:









Wood
12kW
14kW
81%/79%
А
153mm
Charcoal / Black Glass
Yes









Athens 21kW Boiler

Fuel:
Output:
Power to Water:
Power to Room:
Efficiency:
Energy Class:
Flue Size:
Finish:
External Air:







Multi Fuel
21kW
15kW
6kW
78%
А
178mm
Charcoal / Black Glass
Yes



Faro 700 Boiler 16kW, 21kW, 21kW DS



Fuel:	Multi Fuel
Faro 700 16kW Power to Water:	11kW
Faro 700 16kW Power to Room:	5kW
Faro 700 21kW / DS Power to Water:	15kW
Faro 700 21kW / DS Power to Water:	16kW
Efficiency:	79%
Energy Class:	A
Flue Size:	178mm
Finish:	Charcoal
External Air:	Yes








Faro 700 21kW












Porto Stove Door



幻

- It is believed that up to 80 to 85% of the heat in a room can be lost through an open fireplace.
- Imagine how much heat you could harness if you could contain it properly. •
- The Porto stove door is a DIY fire front that stops heat escaping up a chimney with a back boiler system. •
- As well as preventing heat loss, the Porto Stove Door will improve the efficiency of your back boiler as well as allowing you to control the burn rate of your open fire.
- The Porto Door also has the advantage of preventing the unhealthy spillage of smoke into the room when a door or window is opened.
- When the fire is not lit they reduce the flow of air as the chimney space is covered by the unit itself.

It can be fitted into most standard 16' and 18' fireplace openings.



Porto Stove Door Dimensions



Tech Specs. | Premier Collection:

Room Heaters | Insert / Freestanding

Tech Specs. | Premier Collection:

В	С)i	e
	\sim		

	HEIGHT	WIDTH	DEPTH	FLUE	BACKBOX HEIGHT	BACKBOX WIDTH	BACKBOX DEPTH
Achill 6.6kW - Insert	595mm	485mm	428mm	125mm	570mm	400mm	370mm
Achill 16kW - FS	650mm	606mm	479mm	153mm	-	-	-
Apollo 5kW - Insert	595mm	485mm	360mm	125mm	487mm	396mm	270mm
Apollo 7kW - Insert	595mm	485mm	425mm	125mm	520mm	396mm	370mm
Aran 6kW	650mm	450mm	400mm	125mm	-	-	-
Arklow 5kW - Insert	591mm	499mm	370mm	125mm	520mm	396mm	270mm
Arklow 7kW - Insert	591mm	499mm	439mm	125mm	520mm	396mm	370mm
Ascot 5kW	505mm	399mm	320mm	125mm	-	-	-
Ascot 7kW	559mm	494mm	332mm	125mm	-	-	-
Bracken 9kW	581mm	520mm	355mm	125mm	-	-	-
Cambridge 5kW	511mm	390mm	310mm	125mm	-	-	-
Cambridge 7.5kW	592mm	430mm	375mm	125mm	-	-	-
Cambridge 10.5kW	621mm	490mm	367mm	153mm	-	-	-
Cheltenham 5kW	630mm	510mm	400mm	125mm	-	-	-
Cheltenham 5kW - LS	880mm	510mm	400mm	125mm	-	-	-
Druid 5kW	548mm	405mm	320mm	125mm	-	-	-
Druid 5kW - LS	780mm	405mm	320mm	125mm	-	-	-
Druid 8kW	570mm	520mm	386mm	153mm	-	-	-
Druid 8kW - LS	770mm	520mm	386mm	153mm	-	-	-
Druid 12kW	623mm	595mm	427mm	153mm	-	-	-
Druid 14kW - DS	625mm	590mm	541mm	153mm	-	-	-
Druid 16kW	650mm	632mm	430mm	153mm	-	-	-
Druid 20kW - DS	628mm	590mm	631mm	153mm	-	-	-
Druid 21kW	680mm	660mm	465mm	153mm	-	-	-
Eden 5kW	485mm	410mm	310mm	125mm	-	-	-
Elcombe 5kW	585mm	490mm	342mm	125mm	-	-	-
Elcombe 5kW - LS	815mm	490mm	342mm	125mm	-	-	-
Lincoln 5kW	585mm	490mm	323mm	125mm	-	-	-
Lincoln 5kW - LS	815mm	490mm	323mm	125mm	-	-	-
Sherwood 5kW	559mm	382mm	362mm	125mm	-	-	-
Sherwood 8kW	600mm	490mm	380mm	153mm	-	-	-
Sherwood 12kW	630mm	540mm	447mm	153mm	-	-	-
Skellig 8kW	700mm	540mm	450mm	153mm	-	-	-
Thames 4.5kW - SL	522mm	398mm	300mm	125mm	-	-	-
Thames 8kW - SL	575mm	560mm	305mm	153mm	-	-	-
Tullamore 14kW	699mm	670mm	435mm	153mm	-	-	-
Yale 5kW	522mm	398mm	300mm	125mm	-	-	-
Yale 8kW	575mm	560mm	305mm	153mm	-	-	-

	HEIGHT	WIDTH	DEPTH	FLUE	BACKBOX HEIGHT	BACKBOX WIDTH	васквох DEPTH
Achill 17.1kW - Boiler - Insert	590mm	555mm	500mm	153mm	560mm	430mm	345mm
Achill 18kW - FS	650mm	615mm	445mm	153mm	-	-	-
Achill 21kW - Boiler - Insert	635mm	626mm	535mm	153mm	575mm	550mm	355mm
Blasket 21kW	820mm	620mm	560mm	153mm	-	-	-
Druid 12kW - Boiler	623mm	595mm	472mm	153mm	-	-	-
Druid 21kW - Boiler	680mm	660mm	465mm	153mm	-	-	-
Druid 25kW - Boiler	685mm	660mm	510mm	153mm	-	-	-
Druid 30kW - Boiler	732mm	740mm	535mm	153mm	-	-	-
Hampton 21kW - Boiler	720mm	700mm	516mm	153mm	-	-	-
Hampton 30kW - Boiler	800mm	800mm	605mm	153mm	-	-	-
Sherwood 12kW - Boiler	630mm	540mm	447mm	153mm	-	-	-

Tech Specs. | European Collection:

	HEIGHT	WIDTH	DEPTH	FLUE	BACKBOX HEIGHT	backbox WIDTH
Alvor 400	575mm	455mm	370mm	153mm	520mm	400mm
Alvor 600	575mm	640mm	370mm	153mm	520mm	600mm
Athens 400	626mm	468mm	350mm	153mm	550mm	395mm
Athens 500	630mm	577mm	350mm	153mm	550mm	500mm
Athens 700	720mm	835mm	350mm	153mm	555mm	690mm
Athens 900	707mm	1042mm	350mm	153mm	555mm	890mm
Barcelona	1119mm	490mm	480mm	153mm	-	-
Elite G1	1133mm	508mm	508mm	153mm	-	-
Elite G3	1154mm	504mm	504mm	153mm	-	-
Faro 500	625mm	570mm	350mm	153mm	550mm	500mm
Faro 55	735mm	610mm	350mm	153mm	660mm	540mm
Faro 600	625mm	670mm	350mm	153mm	550mm	600mm
Faro 600 DS	625mm	670mm	430mm	153mm	600mm	600mm
Lisbon 700	625mm	765mm	370mm	153mm	550mm	690mm
Lisbon 900	625mm	960mm	370mm	153mm	550mm	890mm
Lisbon 900 DS	625mm	960mm	431mm	153mm	550mm	890mm
Orion 400	560mm	415mm	370mm	153mm	-	-
Orion 400 - LS	970mm	415mm	370mm	153mm	-	-
Orion 700	560mm	710mm	370mm	153mm	-	-
Orion 700 - LS	820mm	710mm	370mm	153mm	-	-



*** All stove measurments, stove drawings and boiler pipe drawing can be found on www.henleystoves.com *** All information is correct at time of print however for more up to date information visit www.henleystoves.com

er Stoves	Insert /	Freestanding
-----------	----------	--------------

Room Heaters | Cassette / Freestanding

*** All stove measurments, stove drawings and boiler pipe drawing can be found on www.henleystoves.com *** All information is correct at time of print however for more up to date information visit www.henleystoves.com

Tech Specs. | European Collection:

	HEIGHT	WIDTH	DEPTH	FLUE	BACKBOX HEIGHT	backbox WIDTH
Oslo	1022mm	770mm	450mm	153mm	-	-
Porto 400	575mm	455mm	370mm	153mm	520mm	400mm
Porto 600	575mm	640mm	370mm	153mm	515mm	590mm
Porto 600 - DS	575mm	640mm	460mm	153mm	555mm	590mm
Seville 400	625mm	467mm	370mm	153mm	550mm	400mm
Seville 500	625mm	570mm	370mm	153mm	550mm	500mm
Seville 55	735mm	610mm	370mm	153mm	660mm	540mm
Seville 600	630mm	670mm	370mm	153mm	550mm	590mm
Zanzibar - Black Glass	957mm	467mm	445mm	153mm	-	-
Zanzibar - Soapstone	985mm	467mm	445mm	153mm	-	-
Zanzibar - 3 Side Glass	996mm	463mm	407mm	153mm	-	-
Zurich	1022mm	530mm	430mm	153mm	-	-

Tech Specs. | European Collection:

Boilers | Cassette


Room Heaters | Cassette

	HEIGHT	WIDTH	DEPTH	FLUE	BACKBOX HEIGHT	BACKBOX WIDTH
Athens 21kW - Boiler	793mm	790mm	572mm	153mm	670mm	650mm
Faro 700 - 16kW Boiler	650mm	757mm	460mm	153mm	595mm	690mm
Faro 700 - 21kW Boiler	650mm	757mm	540mm	153mm	785mm	690mm
Faro 700 - 21kW Boiler DS	650mm	757mm	600mm	153mm	730mm	695mm

Icon Keystone



1 year standard manufactories warranty as in accordance with EU regulations. 2 year standard Henley warranty 2 year extended Henley warranty will be added if stove warranty is registered online within first 3 months of purchase of your






92

new Henley room heater stove All Henley stoves come with an airwash system which helps to keep the glass

Room Heater Stoves - 5 Year Warranty

European standard of test for stoves fired by solid fuel, Incorporating corrigenda September 2003, June 2006 and August 2007






4

External Air

A Henley stove with this icon has an external air facility allowing the air to come directly from outside your building rather than through a vent in the room. This is required for heat recovery systems


in new build projects.

defro DE



A Henley stove with this icon is a boiler stove which comes with a term ostat control. This regulates the amount of air released into the stove until it reaches the optimum temperature and automatically closes.

A Henley stove with this icon are DEFRA exempt and have been fully tested to this standard. A DEFRA exempt stove can be Ð used in a Smoke Control Area whereas a non DEFRA stove cannot.



*** All information is correct at time of print however for more up to date information visit www.henleystoves.com

Stove & Fireplace Accessories



Ceramic Fibre Insulation - 7M





Thermal End Sealing Tape - 25mmx10m





Ash Shovel - Black Finish

Ash Sweeping Brush



93



ASH

Ash Bucket - Cream with Lid

Henley Stoves Complete Range of Accessories for all our Wood Burning & Multifuel Stoves



Aluminium Foil Tape - 50MM

Rope & Glue Kit - 3 Sizes Avail.




Heat Resistant Gloves



Digital Moisture Meter








Coal Bucket - Matt Black

Stove & Fireplace Accessories

Henley Stoves Complete Range of Accessories for all our Wood Burning & Multifuel Stoves

Stove & Fireplace Accessories





Curved Black Granite Hearths

36" x 24" with 3" Riser 36" x 29" with 3" Riser 36" x 36" w/ 3" Riser 54 "x 24" with 3" Riser 54" x 29" with 3" Riser 60" x 24" with 3" Riser 60" x 29" with 3" Riser



Curved Hearths w/ Chamfer

36" x 12" 30mm Extension Piece 36" x 30" with 30mm Slab Chamfer shown with Henley Thames 8 Stove in Matt Black



Splayed Granite Hearths

36" x 30" with 2" Riser

95

800MM x 800MM 900MM x 900MM shown with Henley Cambridge 5 Stove in Cream Enamel

Teardrop Granite Hearths



24" x 24" with 2" Riser 54" x 18" with 2" Riser 54" x 20" with 2" Riser 54" x 24" with 2" Riser 60" x 18" with 2" Riser 60" x 24" with 2" Riser

Straight Granite Hearths




Granite Hearth Extension Piece

36" x 24" with 3" Riser 36" x 29" with 3" Riser 36" x 36" w/ 3" Riser 54 "x 24" with 3" Riser 54" x 29" with 3" Riser 60" x 24" with 3" Riser 60" x 29" with 3" Riser



Henley Stoves Complete Range of Accessories for all our Wood Burning & Multifuel Stoves



Henley Stoves: Curraheen, Tralee, Co. Kerry, Ireland © 2018 Henley Stoves All Rights Reserved

www.henleystoves.com info@henleystoves.com



THE HEATING SPECIALISTS

"EVERY HOME DESERVES A HENLEY"